



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	F	ILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/808,684		03/15/2001	Dieter Schulz	50626.19	5285
35510	7590	05/23/2005		EXAMINER	
KEATING 10400 EAT		,	JAMAL, ALEXANDER		
SUITE 312				ART UNIT	PAPER NUMBER
FAIRFAX,	FAIRFAX, VA 22030			2643	
				DATE MAILED: 05/23/2005	

Please find below and/or attached an Office communication concerning this application or proceeding.

	Application No.	Applicant(s)					
	09/808,684	SCHULZ, DIETER					
Office Action Summary	Examiner	Art Unit					
	Alexander Jamal	2643					
The MAILING DATE of this communication a Period for Reply	appears on the cover sheet with the (correspondence address -					
A SHORTENED STATUTORY PERIOD FOR REF THE MAILING DATE OF THIS COMMUNICATION - Extensions of time may be available under the provisions of 37 CFR after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a r - If NO period for reply is specified above, the maximum statutory peri - Failure to reply within the set or extended period for reply will, by stat Any reply received by the Office later than three months after the ma earned patent term adjustment. See 37 CFR 1.704(b).	N. 1.136(a). In no event, however, may a reply be ting the statutory minimum of thirty (30) day od will apply and will expire SIX (6) MONTHS from tute, cause the application to become ABANDONE	mely filed ys will be considered timely. In the mailing date of this communication. ED (35 U.S.C. § 133).					
Status							
1) Responsive to communication(s) filed on <u>02</u>	P. February 2005.						
2a)⊠ This action is FINAL . 2b)□ TI	his action is non-final.	•					
,— ,.	Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under <i>Ex parte Quayle</i> , 1935 C.D. 11, 453 O.G. 213.						
Disposition of Claims							
4) ⊠ Claim(s) 1-11 is/are pending in the application 4a) Of the above claim(s) is/are withd 5) □ Claim(s) 1-4 and 8-10 is/are allowed. 6) ⊠ Claim(s) 5-7 and 11 is/are rejected. 7) □ Claim(s) is/are objected to. 8) □ Claim(s) are subject to restriction and	rawn from consideration.						
Application Papers							
9)☐ The specification is objected to by the Exami	ner.						
) ☐ The drawing(s) filed on is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.							
Applicant may not request that any objection to the							
Replacement drawing sheet(s) including the correct 11) The oath or declaration is objected to by the	,	•					
Priority under 35 U.S.C. § 119							
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority docume 2. Certified copies of the priority docume 3. Copies of the certified copies of the priority docume application from the International Bures.	ents have been received. ents have been received in Application of the comments have been received and (PCT Rule 17.2(a)).	ion No ed in this National Stage					
* See the attached detailed Office action for a li	st of the certified copies not receive	ed.					
Attachment(s) 1) Notice of References Cited (PTO-892)	4) Interview Summary	(PTO-413)					
Notice of Draftsperson's Patent Drawing Review (PTO-948) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/0 Paper No(s)/Mail Date	Paper No(s)/Mail D						

Application/Control Number: 09/808,684

Art Unit: 2643

DETAILED ACTION

Response to Amendment

1. Examiner notes that no claims have been amended by applicant. Arguments concerning the rejection of claims 5-7 and 11 have been submitted by applicant.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. Claims 5,7 rejected under 35 U.S.C. 103(a) as being unpatentable over Xie et al. (5644634), and further in view of Timm (4231103).

As per claim 5, Xie discloses a multi-frequency tone detector comprising an analysis filter 124 (Fig. 2) for detecting tone energies at multiple frequencies (Col 7 line 1-16). Xie further discloses a decision logic block to detect tone frequencies based upon the detected energy (Col 7 lines 32-45). By allowing different window sizes for each bin, the window size is chosen to be the most accurate for each bin (Col 9 lines 5-36), and each window is centered on the desired frequency (Col 11 lines 25-50). However, Xie does not specify aligning the spectral nulls of the filter response with any tones with frequencies adjacent to the tone being detected.

Application/Control Number: 09/808,684

Art Unit: 2643

Timm teaches that in spectral analysis with adaptive windows, the filter response has a null at frequencies Fm (Col 1 line 46 to Col 2 line 45). Timm further teaches that leakage may occur (inaccurate detection) if the input signal contains signals with frequency components other than Fm. It would have been obvious to one of ordinary skill in the art at the time of this application that Xie could align the spectral nulls of the filter response to fall on any signals adjacent to the signal being detected for the advantage of further reducing any spectral leakage and increasing detection accuracy.

As per claim 7, Xie's analysis filter is a digital filter (Col 3 lines 25-31).

4. Claims 6,11 rejected under 35 U.S.C. 103(a) as being unpatentable over Xie et al. (5644634) and Timm (4231103) as applied to claim 5 above, and further in view of Felder et al. (6370244).

As per claim 6, Xie and Timm disclose applicant's claim 5, however Xie does not mention using a rectangular window for the analysis filter.

Felder teaches a DTMF detector implementing an analysis filter with a rectangular window with variable window size to detect energy in each frequency bin (Col 7 line 66 to Col 8 line 17). It would have been obvious to one of ordinary skill in the art at the time of this application to use a rectangular window in the analysis filter for the purpose of reducing the complexity of the system (Col 8 lines 11-14) while maintaining it's functionality.

As per claim 11, Xie's analysis filter is a digital filter (Col 3 lines 25-31).

Response to Arguments

5. Applicant's arguments filed 2-2-2005 have been fully considered but they are not persuasive.

As per applicant's arguments that the Xie and Timm references do not disclose positioning spectral nulls of a filter response at the tone detected frequencies adjacent to the frequency of interest (remarks pages 6-7), examiner contends that Xie in view of Timm would have obviously made that step as a matter of design choice based on the fundamental properties of both the window frequency response and concept of signal leakage as applied to a tone detection system. The primary goal in Xie is to modify the size of the window used in the tone detection system in order to increase the detection accuracy (XIE: ABSTRACT) by reducing possible leakage. Xie contemplates the leakage as an error source and provides one way of reducing leakage by centering the window frequency response (Xie: Col 11 lines 25-50) in order to reduce the effects of frequency distortion (an offset in frequency) that would cause leakage and could lead to false detections.

Timm teaches that an FFT process with a window comprises a frequency response with nulls at certain frequencies (Cool 2 lines 5-25). A null will provide a zero response at that frequency. The DTMF system disclosed by Xie consists of a set of tone frequencies. Because tones adjacent to the desired tone will be the greatest known source of noise (in the form of possible leakage into the desired tone frequency bin), examiner

Application/Control Number: 09/808,684 Page 5

Art Unit: 2643

contends that it would have been obvious that the spectral nulls taught by Timm could be used to help nullify the leakage effect of adjacent tones. Xie already discloses an object of his invention is to reduce leakage by varying the window size (which is essentially varying the frequency response of the filter) in order to increase detection accuracy. The concept of nulls provided by Timm provides another way to minimize the leakage. Xie's method minimizes the leakage from tone frequency distortion, and the concept of frequency nulls provides a way to minimize the leakage from adjacent frequencies (which are KNOWN sources of noise to the desired tone in a DTMF system).

Allowable Subject Matter

6. Claims 1-4,8-10 are allowed over the prior art of record

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alexander Jamal whose telephone number is 571-272-7498. The examiner can normally be reached on M-F 9AM-6PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Curtis A Kuntz can be reached on 571-272-7499. The fax phone numbers for the organization where this application or proceeding is assigned are 703-872-9306 for regular communications and 703-872-9315 for After Final communications.

AJ May 18, 2005

SUSORY PATENT EXAMINER NOLOGY CENTER 2600